



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/352,355

07/13/1999

TAKASHI MORIHARA

1086.1107/JD

2142

21171

7590

02/24/2004

STAAS & HALSEY LLP
SUITE 700
1201 NEW YORK AVENUE, N.W.
WASHINGTON, DC 20005

EXAMINER

HONG, STEPHEN S

ART UNIT

PAPER NUMBER

2178

DATE MAILED: 02/24/2004

10

Please find below and/or attached an Office communication concerning this application or proceeding.

PR4

Office Action Summary	Application No. 09/352,355	Applicant(s) MORIHARA ET AL.	
	Examiner Stephen S. Hong	Art Unit 2178	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 November 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3 and 5-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3, 5-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Part III DETAILED ACTION

1. This action is responsive to communications: RCE filed on November 12, 2003 and amendment filed on September 22, 2003 to the application, filed on July 13, 1999.
2. Claim 4 is cancelled. Claims 1-3 and 5-16 are pending in the case. Claims 1, 10, 14 and 15 are independent claims.

Priority

3. Receipt is acknowledged of papers submitted under 35 U.S.C. ' 119, which papers have been placed of record in the file.

Claim Rejections - 35 USC ' 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-3, 6, 8-10, 12-14 remain rejected under 35 U.S.C. 103(a) as being unpatentable over Whiting et al. (Whiting), US 5,016,009 filed 01/13/1989 in view of Okada, US 5,889,481 filed 07/17/1996 and Murashita, U.S. Pat. No. 6,330,574 B1, 12/01.

Regarding independent claim 1, Whiting teaches a data compressing apparatus for generating code data from a character train stream constructed by a document including tags, comprising:

- a tag code replacing unit for arranging a tag code for identification to a position of the character train stream in which the tag was separated by said tag information separating unit. Whiting describes, "the tag of each separate portion is evaluated to determine whether the tag is the raw data tag or the tag indicating an encoded matching data string," (Whiting, col. 7, lines 33-36, and fig 5A).

- a character train coding unit for coding the character train stream including the tag code outputted from said tag code replacing unit and outputting a code stream. Whiting describes, "the method for encoding utilizes a tag bit to indicate whether an output data string is "raw" or uncompressed," (Whiting, col. 8, lines 60-62).

Whiting does not teach a tag information separating unit for separating the identified tag from said character train stream and outputting as tag information.

Okada teaches:

- a tag information separating unit for separating the identified tag from said character train stream and outputting as tag information. Okada describes, "the code separating unit separates the compression data, code ID information, and character kind change information of each character kind," (Okada, col. 8, lines 2-4).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made, to modify Whiting and Okada's teachings, since tagging contains information about a file, or other structure of the file. Therefore, different components or units must be able to read and access the tagged information in order to know where these file are located.

However, Whiting does not appear to explicitly disclose "separating the identified tag from the character train stream [of a structured document]... arranging a tag code for identification to a position of the character train stream in which the identified tag was separated ...coding the character train stream including the tag code.. and outputting a code stream." Nevertheless, this feature is taught by the prior art of Murashita.

Murashita teaches an apparatus and method for compressing a structured document by locating the "tags", assigning the codes in place of the tags and replacing the tags with the codes to compress the document (col.3, line 50 to col.4, line 19). Murashita further teaches a tag information storing unit for storing the tag information separated by said tag information separating unit, and a code switching unit for selecting the tag information stored in said tag information storing unit and the code data stored in said code storing unit and outputting the selected tag information or code data. (col.4, line 3, "outputting a special code showing coding of a tag to a decoding side of the tag...").

Thus, it would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Whiting and Murashita, Murashita explicitly pointed out the benefit of compressing the tags of a structured document by teaching that it "improve[s] a compression rate of a tag document (col.3, line 7)."

Regarding dependent claim 2, which is dependent on claim 1, Whiting teaches an apparatus, wherein said tag code replacing unit arranges a predetermined fixed code as said tag code to the position of the character train stream in which the tag was separated. Whiting describes, "encoding the matching data string found in the history array means by appending to the variable length encoded data stream a tag indicating that the matching data string was found and by appending a string substitution code. The string substitution code includes a variable length indicator of the length of the matching data string and a pointer to the location within the history array means of the matching data string," (Whiting, col. 6, lines 32-40).

Regarding dependent claim 3, which is dependent on claim 1, Whiting teaches an apparatus, wherein said tag code replacing unit arranges a tag code indicative of an appearing order of the tag separated by said tag information separating unit to the position of the character train stream in which the tag was separated. Whiting describes, "the tag of each separate portion is evaluated to determine whether the tag is the raw data tag or the tag indicating an encoded matching data string," (Whiting, col. 7, lines 33-36). "If such a new string was found, the match length would be incremented and the position of the new matching string would be determined and saved," (Whiting, col. 10, lines 11-13).

Regarding dependent claim 6, which is dependent on claim 1, Whiting teaches an apparatus comprising a tag information compressing unit for compressing the tag information separated by said tag information separating unit. Whiting describes, "Fig. 1a is a block diagram of a compression unit accepting uncompressed data and outputting compressed data," (Whiting, col. 7, lines 47-49). "the compression and decompression units are incorporated into a single integrated circuit," (Whiting, col. 8, lines 20-25).

Regarding dependent claim 8, which is dependent on claim 4, Whiting teaches an apparatus comprising a tag position detecting unit for detecting a position of the tag in the code data formed by said character train coding unit, wherein both the tag information separated by said tag information separating unit and designation information of the tag position detected by said tag position detecting unit are stored in said tag information storing unit. Whiting describes, "encoding by appending to said encoded data an end of compressed data marker which is detected during decompression of said variable length encoded data stream," (Whiting, col. 21, lines 30-34).

Regarding dependent claim 9, which is dependent on claim 8, Whiting teaches an apparatus wherein said tag position detecting unit detects the code amount from the head of a document or a specific tag and stores it together with the tag information into said tag information storing unit. Whiting describes, "matching data string is found within said storage means, encoding said matching data string by assigning a tag indicating that said matching data string was found, a variable length indicator of the length of said matching data string, and a pointer indicating the location within said storage means of said matching data string," (Whiting, col. 23, lines 54-60).

Regarding independent claim 10, Whiting teaches a data reconstructing apparatus for reconstructing character train data from a code stream including tag information separated from a character train stream of a document including tags and code data obtained by encoding a character train stream in which a tag code has been arranged at a position of the separated tag, comprising:

- a tag information separating unit for separating said tag information and said code data from said code stream. Whiting describes, "the variable length encoded data stream is parsed into separate portions and each separate portion starts with one of the tags. Next, the tag of each separate portion is evaluated to determine whether the tag is the raw data tag or the tag indicating an encoded matching data string," (Whiting, col. 7, lines 31-35).

Art Unit: 2178

- a tag information storing unit for storing the tag information separated by said tag information separating unit. Whiting describes, "the data stored at this location is output. At block 218 (fig. 6), the data is stored at HISTORY (DPTR)," (Whiting, col. 17, lines 28-30).

Whiting does not teach a character train reconstructing unit for reconstructing the character train data including the character train and the tag code from said code data and, thereafter, replacing said tag code by the tag information in said tag information storing unit.

Okada teaches:

- a character train reconstructing unit for reconstructing the character train data including the character train and the tag code from said code data and, thereafter, replacing said tag code by the tag information in said tag information storing unit. Okada describes, "a data decompressing apparatus for separating data every different character kind in various kinds of character codes and decompressing is constructed by a character string decompressing unit and a character string reconstructing unit. The character string decompressing unit separates the compression data every character kind and individually decompresses the character string of every character kind<" (Okada, col. 7, lines 60-66).

Art Unit: 2178

It would have been obvious to a person of ordinary skill in the art at the time the invention was made, to modify Whiting and Okada's teachings, since a reconstructing unit would be necessary to reconstruct the data after the data was tagged and separated from the main information. However, Whiting does not appear to explicitly disclose "separating the identified tag from the character train stream [of a structured document]... arranging a tag code for identification to a position of the character train stream in which the identified tag was separated ...coding the character train stream including the tag code.. and outputting a code stream." Nevertheless, this feature is taught by the prior art of Murashita.

Murashita teaches an apparatus and method for compressing a structured document by locating the "tags", assigning the codes in place of the tags and replacing the tags with the codes to compress the document (col.3, line 50 to col.4, line 19). Thus, it would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Whiting and Murashita, Murashita explicitly pointed out the benefit of compressing the tags of a structured document by teaching that it "improve[s] a compression rate of a tag document (col.3, line 7)."

Regarding dependent claim 12, which is dependent on claim 10, Whiting and Okada teach the limitations of claim 10 as explained above. Whiting does not teach an apparatus comprising a tag information reconstructing unit for reconstructing compression data of the tag information stored in said tag information storing unit.

However, Okada teaches an apparatus comprising a tag information reconstructing unit for reconstructing compression data of the tag information stored in said tag information storing unit. Okada describes, "the character string reconstructing unit reconstructs the character string from the unified byte construction decompressed by the character string decompressing unit to a character string of different byte construction.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made, to modify Whiting and Okada's teachings, since the reconstruction unit would need to access the storing unit in order to pull out the tagged data so that it could be decompressed.

Regarding dependent claim 13, which is dependent on claim 10, Whiting teaches an apparatus according to claim 10, further comprising:

- a tag dictionary storing unit for storing a dictionary in which a reconstruction character train corresponding to a code of a tag character train serving as a processing unit when reconstructing has been registered; and a tag character train comparing unit for separating a code of the tag character train serving as a reconstruction unit from the tag information separated by said tag information separating unit and reconstructing the original tag character train with reference to said dictionary storing unit. Whiting describes, "storing said history array pointer into said hash table entry pointed to by said hashing function, operative when said matching data string is found within said history array means, encoding said matching data string found in said history array means by assigning a tag indicating that said matching data string was found and a string substitution code including a variable length indicator of the length of said matching data string and a pointer indicating the location within said history array means of said matching data string," (Whiting, col. 20, lines 40-50).

Regarding independent claim 14, Whiting teaches a data compressing method of generating code data from a character train stream constructed by a document including tags, comprising:

- a tag information separating step of separating the identified tag from said character train stream and outputting as tag information. Whiting describes, "parsing said variable length encoded data stream into separate portions, each said separate portion starting with one of said tags," (Whiting, col. 21, lines 40-43).

- a tag code replacing step of arranging a tag code for identification to a position of the character train stream in which the tag was separated in said tag information separating step. Whiting describes, "evaluating said tag of each said separate portion for determining whether said tag is said raw data tag or said tag indicating said encoded matching data string," (Whiting, col. 21, lines 44-47).

Whiting does not teaches a character train coding step of coding the character train stream including the tag code outputted from said tag code replacing step and outputting a code stream.

Okada teaches:

- a character train coding step of coding the character train stream including the tag code outputted from said tag code replacing step and outputting a code stream. Okada describes, "the code separating unit separates the compression data, code ID information, and character kind change information of each character kind. The character kind decompressing unit decompresses the character string every character kind from the compression data of each character kind separated by the code separating unit," (Okada, col. 8, lines 2-7).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made, to modify Whiting and Okada's teachings, since different units are needed in order to code the text, tag the information, compress and decompress the data. However, Whiting does not appear to explicitly disclose "separating the identified tag from the character train stream [of a structured document]... arranging a tag code for identification to a position of the character train stream in which the identified tag was separated ...coding the character train stream including the tag code.. and outputting a code stream." Nevertheless, this feature is taught by the prior art of Murashita. Murashita teaches an apparatus and method for compressing a structured document by locating the "tags", assigning the codes in place of the tags and replacing the tags with the codes to compress the document (col.3, line 50 to col.4, line 19). Thus, it would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Whiting and Murashita, Murashita explicitly pointed out the benefit of compressing the tags of a structured document by teaching that it "improve[s] a compression rate of a tag document (col.3, line 7)."

Independent claim 14 and its dependent claim 15 are for transmitting the compressed document of claims 1-4, and are similarly rejected under the same rationale, since Murashita taught transmitting the HTML structured document through the WWW (col.19, line 10).

6. Claims 5, 7 and 11 remain rejected under 35 U.S.C. 103(a) as being unpatentable over Whiting et al. (Whiting), Okada, Murashita in view of Aoyama, US 5,590,258 filed 10/03/1994.

Regarding dependent claim 5, which is dependent on claim 1, Whiting and Okada teach the limitations of claim 1 as explained above. Whiting and Okada do not teach a dictionary storing unit for storing a dictionary in which a character train serving as a processing unit when compressing has been registered, and a character train comparing unit for comparing a partial character train in the character train stream from said tag code replacing unit with the registration character train in said dictionary storing unit, thereby detecting a partial character train which coincides with said registration character train, allocating a predetermined code every said detected partial character train, and outputting a resultant character train.

However, Aoyama teaches an apparatus wherein said character train coding unit comprises:

- a dictionary storing unit for storing a dictionary in which a character train serving as a processing unit when compressing has been registered. Aoyama describes, "a translated word dictionary storage unit for storing at least one potential translation corresponding to a character row to be translated; a retrieval unit for referring to the translated word dictionary storage unit and retrieving at least one potential translation corresponding to the character row to be translated inputted into the second input operation unit," (Aoyama, col. 3, lines 57-63, fig. 2, element 24 and 25).

- a character train comparing unit for comparing a partial character train in the character train stream from said tag code replacing unit with the registration character train in said dictionary storing unit, thereby detecting a partial character train which coincides with said registration character train, allocating a predetermined code every said detected partial character train, and outputting a resultant character train. Aoyama describes, "determination unit may include an insertion mode determination unit for determining insertion mode when the marked character in the text storage unit is a blank character, a replacement mode determination unit for determining replacement mode when the marked character in the text storage unit is a character, and a conversion mode notification unit for notifying the text content conversion means one of insertion mode determined by the insertion mode determination unit and replacement mode determined by the replacement mode determination unit," (Aoyama, col. 2, lines 48-53).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made, to modify Whiting, Okada and Aoyama's teachings, since tagged information would have to be stored at a specified location so that different units, such as, conversion units, comparison unit, and reconstruction unit can access the specified storage location in order to process the data.

Regarding dependent claim 7, which is dependent on claim 1, Whiting and

Okada teach the limitations of claim 1 as explained above. Whiting and Okada do not teach an apparatus comprising a tag dictionary storing unit for storing a dictionary in which a tag character train in the tag information serving as a processing unit when compressing has been registered. Whiting teaches an apparatus comprising a tag character train comparing unit for comparing the partial character train of the character train stream included in the tag information separated by said tag information separating unit with the registration character train in said tag dictionary storing unit, thereby detecting a partial character train which coincides with said registration character train, allocating a predetermined code every said detected partial character train, and outputting a resultant character train. Whiting describes, "the variable length encoded data stream is parsed into separate portions and each separate portion starts with one of the tags. Next, the tag of each separate portion is evaluated to determine whether the tag is the raw data tag or the tag indicating an encoded matching data string, the next step includes interpreting the length indicator and the pointer of the substitution code for generating the matching data string. In this way, a portion of the original input data stream is reconstructed. Alternatively, when the tag is a raw data tag, then the first character of the encoded input data stream is obtained and in this way a portion of the original input data stream is reconstructed," (Whiting, col. 7, lines 31-44).

However, Aoyama teaches an apparatus comprising a tag dictionary storing unit for storing a dictionary in which a tag character train in the tag information serving as a processing unit when compressing has been registered. Aoyama describes, "word dictionary storage unit for storing at least one potential translation corresponding to a character row to be translated; a retrieval unit for referring to the translated word dictionary storage unit and retrieving at least one potential translation corresponding to the character row to be translated inputted into the second input operation unit," (Aoyama, col. 3, lines 57-63).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made, to modify Whiting, Okada and Aoyama's teachings, since tagged information has to be compared so that the unit would know what data has to be compressed, decompressed, and stored.

Regarding dependent claim 11, which is dependent on claim 10, Whiting and Okada teach the limitations of claim 10 as explained above. Whiting does not teach an apparatus wherein said character train reconstructing unit comprises a dictionary storing unit for storing a dictionary in which a reconstruction character train corresponding to a code of the character train serving as a processing unit when reconstructing has been registered.

Whiting teaches an apparatus wherein said character train reconstructing unit comprises:

- a character train comparing unit for separating a code of the character train serving as a reconstruction unit from said code stream and reconstructing the original character train with reference to said dictionary storing unit. Whiting describes, "the decompression unit receives a compressed data stream from the device (which in this case is a data source), reconstructs the original uncompressed data stream, and outputs it to the host," (Whiting, col. 8, lines 29-33).

- a character train replacing unit for replacing the tag code reconstructed by said character train comparing unit by the tag information in said tag information storing unit. Whiting describes, "the compression operation routine performed by the compression unit (fig. 1a) for encoding the input data stream," (col. 7, lines 61-64). Whiting also describes, "the tag of each separate portion is evaluated to determine whether the tag is the raw data tag or the tag indicating an encoded matching data string," (Whiting, col. 7, lines 33-36). "If such a new string was found, the match length would be incremented and the position of the new matching string would be determined and saved," (Whiting, col. 10, lines 11-13).

However, Aoyama teaches an apparatus wherein said character train

Art Unit: 2178

reconstructing unit comprises a dictionary storing unit for storing a dictionary in which a reconstruction character train corresponding to a code of the character train serving as a processing unit when reconstructing has been registered. Aoyama describes, "a translated word dictionary storage unit for storing at least one potential translation corresponding to a character row to be translated; a retrieval unit for referring to the translated word dictionary storage unit and retrieving at least one potential translation corresponding to the character row to be translated inputted into the second input operation unit," (Aoyama, col. 3, lines 57-63, fig. 2, element 24 and 25).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made, to modify Whiting, Okada and Aoyama's teachings, since the reconstruction unit would need to access the storing unit in order to pull out the tagged data so that it could be decompressed, compared and evaluated.

Response to Arguments

7. Applicant's arguments filed 9/22/03 have been fully considered but they are not persuasive.

On page 7 of the amendment, Applicant presents the following arguments:

Murashita discusses creating a tag code table for compression from the DTD of the structured document. A tag code is obtained with reference to the tag code table by the tags included in the character train. The tag is replaced by the tag code, thereby achieving compression. At the same time, the portion of the character train is also coded. Thus, the code stream that is outputted is a single stream in which the tag code and the character code are mixed in the stream.

Applicant then asserts on page 8 of the amendment that: "[I]n the claimed invention

...[t]he tag is separated from the input stream and the tag information stream containing

only the tags is created". Applicant further alleges that "[b]y transmitting the tag replaced character train stream separately from the character train in which only the tag was separated from the structured document, the ...benefits are obtained".

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., "the tag is separated from the input stream and the tag information stream containing only the tags is created") are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). What is in fact actual claimed in Claim 1, is "a tag information separating unit separating the identified tag form the character train stream and outputting as a tag information stream." This is exactly what is done in Murashita. Note that in col.3, line 57, "a tag extracting unit for scanning the document type definition of an inputted tag document to extract the tag." Note that the separated tags do form a stream of tags, and the corresponding codes are output as a "stream" such that the tags can be replaced. The claim only requires that the stream be created and outputted at some point, that Murashita shows exactly that.

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in

the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, examiner did point out the motivation, although the motivation is different from that of the Applicant. However, the fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen S. Hong whose telephone number is (703) 308-5465. The examiner can normally be reached on Monday to Friday, 9:00am to 6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Heather Herndon can be reached on (703) 308-5186. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 09/352,355

Art Unit: 2178

Page 23

A handwritten signature in black ink, appearing to read 'Stephen Hong', with a long horizontal stroke extending to the right.

Stephen Hong
Primary Examiner
Art Unit 2178
February 22, 2004